



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
08/941,975	10/01/1997	KEITH BARRACLOUGH	11611.88US01	7604

40581 7590 05/18/2005

CRAWFORD MAUNU PLLC
1270 NORTHLAND DRIVE, SUITE 390
ST. PAUL, MN 55120

EXAMINER

ART UNIT	PAPER NUMBER
----------	--------------

DATE MAILED: 05/18/2005

JB

Please find below and/or attached an Office communication concerning this application or proceeding.

Art Unit: 2643

Defective Appeal Brief

This is to inform the Appellant that summary contained in the Appeal Brief dated 11-27-2000 (paper 19) does not conform to 37 C.F.R 1.192 (c) (5) (2000). Appellant is required to submit new summary. Please note the following for preparing the new summary: An appeal brief shall contain "(a) concise explanation of the invention defined in the claims involved in the appeal, which shall refer to the specification by page and line number, and to the drawing, if any by reference characters." 37 C.F.R 1.192 (c) (5) (2000). "[R]eference to page and line number of the specification ... is considered important to enable the Board to more quickly determine where the claimed subject matter is described in the application." M.P.E.P 1206.

Here, the Summary of Invention section of the appellants' brief, (Appeal Br. at 2-3), does not read the claims on the specification and drawings. We decline to substitute speculation about where the claimed subject matter is described in the application for the greater certainty that should come from appellants in a more specific summary of the invention. Instead, the appellants should read each of the separately argued claims on their specification and drawings. In particular, a mapping of each of the claimed limitations to specific pages and lines of specification and reference characters of the drawings is needed for meaningful review.

Appellant is given 1 month period to cure the defect(s).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Melur Ramakrishnaiah whose telephone number is

Art Unit: 2643

(571) 272-8098. The examiner can normally be reached on M-F 6:30-4:00; every other F Off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Curtis Kuntz can be reached on (571) 272-7499. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Melur Ramakrishnaiah
Primary Examiner
Art Unit 2643